BUILDING PRODUCT DECLARATION BPD 3

in compliance with the guidelines of the Ecocycle Council, June 2007

1 Basic data

Product identification			Document ID		
Product name	Product no/ID designation	1	Product group		
Tune series (10x10,20x20cm)	J		Glazed porcelain tile		
New declaration ■	In the case of a revise	ed declarati	on		
Revised declaration	Has the product been changed?	The change	change relates to		
	□ No □ Yes	Changed pr	oduct can be identified by		
Drawn up/revised on (date) 17/06/2014		Inspected without revision on (date)			
Other information:					

2 Supplier information

Company name Seranit Granit S	eramik San. ve	Company reg. no/DUNS no			
• •			Contact person Müge ONBAS Total Quality Manager		
		Telephone +902123407400			
Website: www.seranit.com.tr		E-mail muge.onbas@seranit.com.tr			
Does the company have an enviro	nmental manage	ment system?	⊠ Yes	□No	
The company possesses certification in compliance with	⊠ ISO 9000	⊠ ISO 14000	Other	If "other", please specify: OHSAS 18001	
Other information:					

3 Product information

Country of final manufac	cture TURKEY	If country	cannot be sta	be stated, please state why					
Area of use floor and wall coverings									
Is there a Safety Data Sheet for this product?									
	egulations of the Swedish	Classificati	ion		Not rel	evant			
Chemicals Agency, please state: Labelling									
Is the product registered in BASTA?									
Has the product been eco-labelled?	Criteria not found	Yes	⊠ No	If "yes", please spe	ecify:				
Is there a Type III environmental declaration for the product?						⊠ No			
Other information:									

4 Contents (To add a new green row, select and copy an entire empty row and paste it in)

At the time of delivery, the product comprises the following parts/components, with the chemical composition stated:									
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments				
	SiO	60-70%							
	Al2O3	20-27%							
	Fe2O3	1,5-4%							

	CaO	0,2%									
Other information:											
If the chemical composition of the product after it is built in differs from that at the time of delivery, the content of the finished built in product should be given here. If the content is unchanged, no data need be given in the following table.											
Constituent materials/ components	Constituent substances	Weight % or g	EG no/ CAS no (or alloy)	Classifi- cation	Comments						
	MgO	0,2- 0,4%									
	K2O Na2O	2-3,7% 0,3-1%									
Other information:											

5 Production phase

□ □ □ □ □ □ □ □ □ □
□ 3) Other limitation. State what: The report relates to unit of product □ Reported product □ The product's product group □ The product's production unit □ Indicate raw materials and intermediate goods used in the manufacture of the product □ Not relevant Raw material/intermediate goods Quantity and unit Comments Clay 50% Silica Sand 20% Feldspat 30% Indicate recycled materials used in the manufacture of the product □ Not relevant Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% BROKEN FIRED BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts □ Not relevant Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments highway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its □ Not relevant
The report relates to unit of product
Indicate raw materials and intermediate goods used in the manufacture of the product Raw material/intermediate goods Quantity and unit Comments Clay 50% Silica Sand 20% Feldspat 30% Indicate recycled materials used in the manufacture of the product Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% BROKEN FIRED BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Comments Not relevant Comments Not relevant Comments Not relevant Comments Comments Comments Not relevant Type of transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Lighway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Raw material/intermediate goods Clay 50% Silica Sand 20% Feldspat 30% Indicate recycled materials used in the manufacture of the product Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% BROKEN FIRED BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments Not relevant Type of energy Quantity and unit Comments A,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Not relevant Type of transportation Proportion % Comments Not relevant Type of transportation Proportion % Comments I Not relevant Type of transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments I Not relevant Type of transportation the manufacture of the product or its component parts Type of transportation the manufacture of the product or its component parts Type of transportation the manufacture of the product or its component parts I Not relevant Type of transportation the manufacture of the product or its component parts Type of transportation the manufacture of the product or its component parts I Not relevant
Clay 50% Silica Sand 20% Feldspat 30% Indicate recycled materials used in the manufacture of the product
Silica Sand Feldspat 30% Indicate recycled materials used in the manufacture of the product Type of material Quantity and unit BROKEN GREEN BISCUIT 5% BROKEN FIRED BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments Not relevant Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Highway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Feldspat 30% Indicate recycled materials used in the manufacture of the product □ Not relevant Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% BROKEN FIRED BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts □ Not relevant Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts □ Not relevant Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its □ Not relevant
Indicate recycled materials used in the manufacture of the product Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Not relevant Type of transportation Proportion % Comments Not relevant Type of transportation Proportion % Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Type of material Quantity and unit Comments BROKEN GREEN BISCUIT 5% Enter the energy used in the manufacture of the product or its component parts Not relevant Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
BROKEN GREEN BISCUIT BROKEN FIRED BISCUIT Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Not relevant Type of transportation Proportion % Comments Highway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its
BROKEN FIRED BISCUIT Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Onto relevant Comments Not relevant Type of transportation Proportion % Comments Highway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Enter the energy used in the manufacture of the product or its component parts Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Onterelevant Comments Onterelevant Type of transportation Proportion % Comments Comments Highway 60 Seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Type of energy Quantity and unit Comments ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments Comments Comments Highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
ELECTRIC 4,94 kwh/m² NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
NATURAL GAS 3,2 sm3/m² Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Enter the transportation used in the manufacture of the product or its component parts Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Type of transportation Proportion % Comments highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its
highway 60 seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
seaway 40 Enter the emissions to air, water or soil from the manufacture of the product or its Not relevant
Enter the emissions to air , water or soil from the manufacture of the product or its Not relevant
Type of emission Quantity and unit Comments
to air 0,7141 kg/h
Enter the residual products from the manufacture of the product or its component parts
Proportion recycled
Material Energy
Residual product Waste code Quantity recycled % recycled % Comments

Is there a description of the data accuracy for the manufacturing data?	Yes	□ No	☐ No If "yes", please specify:						
Other information:				,					
6 Distribution of fin	ished prod	duct							
Does the supplier put into practice a system for returning load carriers for the product?									
Does the supplier put into practice any systems involving multi-use packaging or the product?									
Does the supplier take back pa		product?				=	ot relevan		□ No
Is the supplier affiliated to REI	PA?					□ N	ot relevan	t Yes	⊠ No
Other information:									
7 Construction pha	se								
Are there any special requirem product during storage?		☐ Not relev	ant	Yes		No	If "yes",	please specif	y:
Are there any special requirement building products because of this	nts for adjacent s product?	Not relev	ant	Yes		No	If "yes",	please specif	y:
Other information:									
8 Usage phase									
	Does the product involve any special requirements for intermediate goods regarding operation and maintenance?								
Does the product have any sperequirements for operation?] Yes	⊠ N			please specify	
Estimated technical service life								contions, a) o	
a) Reference service life estimated as being approx.	5 years	☐ 10 years	TIO OTO			\square 25 \square >50 years		Comments	
b) Reference service life estimate	ated to be in the	interval of	. yea	ırs					
Other information:									
9 Demolition									
Is the product ready for disasse apart)?	embly (taking	☐ Not rel	evan	ıt	☐ Ye	es	⊠ No	If "yes", plea	ase specify:
Does the product require any s to protect health and environm demolition/disassembly?	Not rel	☐ Not relevant ☐			es	⊠ No	If "yes", please specify:		
Other information:									
10 Waste managem	ent								
Is it possible to re-use all or pa product?	rts of the	☐ Not rel	evan	it	X Y	es	□ No	If "yes", plea Raw tiles,do extraction w tile fructure: used again.	ust vaste,and 100% is
Is it possible to recycle materia parts of the product?	ıls for all or	☐ Not rel	levan	ıt	X Y	es	☐ No If "yes", please s waste sludge		
Is it possible to recycle energy of the product?	for all or parts	☐ Not rel	evan	ıt	☐ Ye	es	⊠ No	If "yes", plea	ase specify:
Does the supplier have any res recommendations for re-use, m	trictions and naterials or	☐ Not rel	levan	it	☐ Y	es	⊠ No	If "yes", plea	ase specify:

energy recycling or waste disposal?										
Enter the waste code for the supplied product 170103										
Is the supplied product classed as hazardous waste?										
If the chemical composition of the product differs after having been built in from that which it had at the time of delivery, meaning that another waste code is given to the finished built in product, then this should be entered here. If it is unchanged, the following details can be omitted.										
Enter the waste code for the built in product 170103										
Is the built in product classed as hazardous waste?										
Other information:										

11 Indoor environment (To add a new green row, select and copy an entire empty row and paste it in)

When used as intended,	☐ The product does not have any emissions							
Type of emission	Quantity [µg/m²h	Quantity [µg/m²h] or [mg/m³h]			Comme	Comments		
	4 weeks	26 weeks	mea	measurement				
Can the product itself gi	Can the product itself give rise to any noise?		1	Not relevant	Yes	⊠ No		
Value				hod of measuremen	nt			
Can the product give rise	an the product give rise to electrical fields?		1	☐ Not relevant ☐ Yes ☒ No				
Value Unit		Unit	Met	Method of measurement				
Can the product give rise to magnetic fields?			1	☐ Not relevant ☐ Yes ☒				
Value Unit			Method of measurement					
Other information:			•					

References

Appendices