ENVIRONMENTAL PRODUCT DECLARATION

IN ACCORDANCE WITH EN 15804+A2 & ISO 14025

Hafa Go 600 vanity unit
Hafa Brand Group AB

EPD HUB, HUB-4005
Published on 19.09.2025, last updated on 19.09.2025, valid until 18.09.2030

Life Cycle Assessment study has been performed in accordance with the requirements of EN 15804, EPD Hub PCR version 1.1 (5 Dec 2023) and JRC characterization factors EF 3.1.

Created with One Click LCA

GENERAL INFORMATION

MANUFACTURER

Manufacturer	Hafa Brand Group AB
Address	Svarvaregatan 5, 30250 Halmstad, Sweden
Contact details	info@hafabg.com
Website	www.hafabg.com

EPD STANDARDS, SCOPE AND VERIFICATION

Program operator	EPD Hub, hub@epdhub.com
Reference standard	EN 15804:2012+A2:2019/AC:2021 and ISO 14025
PCR	EPD Hub Core PCR Version 1.1, 5 Dec 2023
Sector	Construction product
Category of EPD	Third party verified EPD
Parent EPD number	-
Scope of the EPD	Cradle to gate with options, A4 and modules C1-C4, D
EPD author	Matilda Ottosson, Hafa Brand Group AB
EPD verification	Independent verification of this EPD and data, according to ISO 14025: ☐ Internal verification ☑ External verification
EPD verifier	Elisabet Amat, as an authorized verifier acting for EPD Hub Limited

The manufacturer has the sole ownership, liability, and responsibility for the EPD. EPDs within the same product category but from different programs may not be comparable. EPDs of construction products may not be comparable if they do not comply with EN 15804 and if they are not compared in a building context.

PRODUCT

Product name	Hafa Go 600 vanity unit
Additional labels	-
Product reference	See annex 1
Place of production	Lithuania
Period for data	2024
Averaging in EPD	No grouping
Variation in GWP-fossil for A1-A3	- %

ENVIRONMENTAL DATA SUMMARY

Declared unit	1 unit
Declared unit mass	21 kg
GWP-fossil, A1-A3 ($kgCO_2e$)	3,86E+01
GWP-total, A1-A3 ($kgCO_2e$)	3,57E+00
Secondary material, inputs (%)	10,1
Secondary material, outputs (%)	40,1
Total energy use, A1-A3 (kWh)	239
Net freshwater use, A1-A3 (m^3)	0,61

PRODUCT AND MANUFACTURER

ABOUT THE MANUFACTURER

Hafa Brand Group develops and sells bathroom solutions in the Nordics. Through satisfied customers, we create strong brands and profitable growth. Our vision is to be the obvious choice for bathroom and home products in the Nordics. Hafa Brand Group has developed high-quality products in Halmstad since 1962, we work long-term with design, quality and constantly develop new products that last over time. Our head office is in Halmstad, Sweden, and we also have local sales offices in the Nordic countries and in the Baltics.

PRODUCT DESCRIPTION

Hafa Go basin vanity units are practical and modern bathroom furniture with smooth fronts. Two Soft-Close drawers with full extension gives a good view over the contents. Hafa Go bathroom cabinets comes in several widths and colours. The vanity unit is ready-mounted and easy to install with a rail and adjustable suspension brackets and room for piping to floor and wall sewerage. Complete the unit with basin, handle, mixer, pop up valve, waste trap and power socket.

Further information can be found at www.hafabg.com.

PRODUCT RAW MATERIAL MAIN COMPOSITION

Raw material category	Amount, mass %	Material origin
Metals	25	Europe
Minerals	-	-
Fossil materials	5	Europe
Bio-based materials	70	Europe

BIOGENIC CARBON CONTENT

Product's biogenic carbon content at the factory gate

Biogenic carbon content in product, kg C	5,86
Biogenic carbon content in packaging, kg C	3,87

FUNCTIONAL UNIT AND SERVICE LIFE

Declared unit	1 unit
Mass per declared unit	21 kg
Functional unit	-
Reference service life	-

SUBSTANCES, REACH - VERY HIGH CONCERN

The product does not contain any REACH SVHC substances in amounts greater than 0,1 % (1000 ppm).

PRODUCT LIFE-CYCLE

SYSTEM BOUNDARY

This EPD covers the life-cycle modules listed in the following table.

Product stage			Assembly stage		Use stage							End of life stage				Beyond the system boundaries		
A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D		
×	×	×	MND	×	MND	MND	MND	MND	MND	MND	MND	×	×	×	×	×		
Raw materials	Transport	Manufacturing	Transport	Assembly	Use	Maintenance	Repair	Replacement	Refurbishment	Operational energy use	Operational water use	Deconstruction/ demolition	Transport	Waste processing	Disposal	Reuse	Recovery	Recycling

Modules not declared = MND. Modules not relevant = MNR

MANUFACTURING AND PACKAGING (A1-A3)

The environmental impacts considered for the product stage cover the manufacturing of raw materials used in the production as well as packaging materials and other ancillary materials. Also, fuels used by machines, and handling of waste formed in the production processes at the manufacturing facilities are included in this stage. The study also considers the material losses occurring during the manufacturing processes as well as losses during electricity transmission.

This furniture is made of chipboard, mdf and aluminium with drawer runners and sides in steel. The boards and components are manufactured in Europe and delivered to the manufacturers site. The manufacturing process requires electricity for the different equipment as well as heating.

Water is used for production. A wooden pallet, cardboard, PP corner protection and LDPE packaging film is used as packaging material.

The production begins with quality inspection of raw materials and components. Boards are cut and drilled. Edge banding is applied to the elements and edges and surfaces are painted with several coatings. Cabinet is assembled and packed with manual and accessories for installation. Quality inspections are carried out during the different steps of production and assembly.

TRANSPORT AND INSTALLATION (A4-A5)

Transportation impacts occurred from final products delivery to construction site (A4) cover fuel direct exhaust emissions, environmental impacts of fuel production, as well as related infrastructure emissions.

Environmental impacts from installation into the building include generation of waste packaging materials (A5) and release of biogenic carbon dioxide from wood pallets/cardboard boxes. The impacts of material production, its processing and its disposal as installation waste are also included.

PRODUCT USE AND MAINTENANCE (B1-B7)

This EPD does not cover the use phase.
Air, soil, and water impacts during the use phase have not been studied.

PRODUCT END OF LIFE (C1-C4, D)

Consumption of energy for dismantling is considered. It is assumed that the waste is collected separately and transported to the waste treatment facility. Transportation distance to waste treatment plant is assumed to be 50 km and the transportation method is assumed to be lorry (C2). Module C3 accounts for energy and resource inputs for sorting and treating of steel, aluminium and zinc alloy for recycling, recycling and incineration of plastic materials with energy recovery with efficiency greater than 60%. Additionally, waste that is incinerated without energy recovery or landfilled is included in Module C4. Due to the material and energy recovery potential of parts in the product and in packaging, recycled raw materials lead to avoided virgin material production and the energy recovered from incineration replaces electricity and heat from primary sources. Benefits and loads from incineration and recycling are included in Module D.

Waste treatment scenarios and sources:

Steel waste: 85% recycling, 15% landfill (World Steel Association - Life cycle inventory (LCI) study, 2020 data release, Brussels, May 2021)

Aluminium waste: 90% recycling, 10% landfill (EUROPEAN ALUMINIUM | A strategy for achieving aluminium's full potential for circular economy by 2030, Brussels, April 2020)

MDF and chipboard (including melamine surface) waste: 26% recycled, 50% incinerated with energy recovery, 24% landfilled (World Steel Association – LCA – Environmental assessment of roofing systems, Brussels, August 2020)

MANUFACTURING PROCESS



LIFE-CYCLE ASSESSMENT

CUT-OFF CRITERIA

The study does not exclude any modules or processes which are stated mandatory in the reference standard and the applied PCR. The study does not exclude any hazardous materials or substances. The study includes all major raw material and energy consumption. All inputs and outputs of the unit processes, for which data is available for, are included in the calculation. There is no neglected unit process more than 1% of total mass or energy flows. The module specific total neglected input and output flows also do not exceed 5% of energy usage or mass.

ALLOCATION, ESTIMATES AND ASSUMPTIONS

Allocation is required if some material, energy, and waste data cannot be measured separately for the product under investigation. All allocations are done as per the reference standards and the applied PCR. In this study, allocation has been done in the following ways:

Data type	Allocation
Raw materials	No allocation
Packaging material	No allocation
Ancillary materials	Allocated by mass or volume
Manufacturing energy and waste	Allocated by mass or volume

AVERAGES AND VARIABILITY

Type of average	No grouping
Averaging method	Not applicable
Variation in GWP-fossil for A1-A3	-%

This EPD is product and factory specific and does not contain average calculations.

LCA SOFTWARE AND BIBLIOGRAPHY

This EPD has been created using One Click LCA EPD Generator. The LCA and EPD have been prepared according to the reference standards and ISO 14040/14044. The EPD Generator uses Ecoinvent v3.8, Plastics Europe, Federal LCA Commons and One Click LCA databases as sources of environmental data.

ENVIRONMENTAL IMPACT DATA

CORE ENVIRONMENTAL IMPACT INDICATORS – EN 15804+A2, EF 3.1

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP – total[1)]	kg CO_2e	9,80E+00	1,55E+00	-7,78E+00	3,57E+00	MND	1,51E+01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	8,45E-02	1,93E+01	4,34E+00	-1,46E+01
GWP – fossil	kg CO_2e	3,06E+01	1,55E+00	6,43E+00	3,86E+01	MND	2,62E-01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	8,44E-02	1,51E+00	1,21E+00	-7,84E+00
GWP – biogenic	kg CO_2e	-2,15E+01	0,00E+00	-1,42E+01	-3,58E+01	MND	1,49E+01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	1,78E+01	3,13E+00	-6,79E+00
GWP – LULUC	kg CO_2e	7,54E-01	5,72E-04	3,45E-02	7,89E-01	MND	2,23E-04	MND	MND	MND	MND	MND	MND	MND	0,00E+00	3,12E-05	8,35E-04	2,74E-04	-3,27E-03
Ozone depletion pot.	kg CFC-$_{11}$e	2,66E-06	3,57E-07	6,99E-07	3,72E-06	MND	2,59E-08	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,94E-08	4,14E-08	1,82E-07	-4,00E-07
Acidification potential	mol H^+e	3,87E-01	6,57E-03	4,06E-02	4,35E-01	MND	1,00E-03	MND	MND	MND	MND	MND	MND	MND	0,00E+00	3,58E-04	3,54E-03	2,66E-03	-4,45E-02
EP-freshwater[2)]	kg Pe	1,53E-03	1,27E-05	5,32E-04	2,07E-03	MND	9,00E-06	MND	MND	MND	MND	MND	MND	MND	0,00E+00	6,91E-07	1,15E-05	8,06E-06	-2,44E-04
EP-marine	kg Ne	4,38E-02	1,95E-03	1,12E-02	5,69E-02	MND	2,48E-04	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,06E-04	1,21E-03	6,17E-04	-5,55E-03
EP-terrestrial	mol Ne	1,26E+00	2,15E-02	1,13E-01	1,40E+00	MND	2,50E-03	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,17E-03	1,31E-02	5,74E-03	-1,05E-01
POCP ("smog")[3)]	kg NMVOCe	1,20E-01	6,89E-03	3,52E-02	1,62E-01	MND	7,48E-04	MND	MND	MND	MND	MND	MND	MND	0,00E+00	3,75E-04	3,41E-03	1,79E-03	-4,15E-02
ADP-minerals & metals[4)]	kg Sbe	1,42E-03	3,64E-06	4,58E-05	1,47E-03	MND	1,92E-06	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,98E-07	1,43E-05	4,25E-06	-6,50E-04
ADP-fossil resources	MJ	4,64E+02	2,33E+01	1,13E+02	6,00E+02	MND	3,06E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,27E+00	4,49E+00	9,61E+00	-8,55E+01
Water use[5)]	m^3e depr.	2,07E+01	1,04E-01	4,36E+00	2,52E+01	MND	5,78E-02	MND	MND	MND	MND	MND	MND	MND	0,00E+00	5,67E-03	5,94E-01	1,31E-01	-5,14E-01

1) GWP = Global Warming Potential; 2) EP = Eutrophication potential. Required characterisation method and data are in kg P-eq. Multiply by 3,07 to get PO4e; 3) POCP = Photochemical ozone formation; 4) ADP = Abiotic depletion potential; 5) EN 15804+A2 disclaimer for Abiotic depletion and Water use and optional indicators except Particulate matter and Ionizing radiation, human health. The results of these environmental impact indicators shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

ADDITIONAL (OPTIONAL) ENVIRONMENTAL IMPACT INDICATORS – EN 15804+A2, EF 3.1

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Particulate matter	Incidence	4,16E-06	1,79E-07	4,43E-07	4,78E-06	MND	1,42E-08	MND	MND	MND	MND	MND	MND	MND	0,00E+00	9,73E-09	4,26E-08	2,69E-08	-4,73E-07
Ionizing radiation[6)]	kBq U235e	3,27E+00	1,11E-01	1,46E+00	4,85E+00	MND	4,54E-02	MND	MND	MND	MND	MND	MND	MND	0,00E+00	6,04E-03	3,60E-02	5,40E-02	-2,29E-01
Ecotoxicity (freshwater)	CTUe	1,55E+03	2,10E+01	1,15E+02	1,69E+03	MND	5,35E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,14E+00	1,24E+01	3,36E+01	-3,18E+02
Human toxicity, cancer	CTUh	1,25E-07	5,15E-10	1,39E-08	1,40E-07	MND	2,90E-10	MND	MND	MND	MND	MND	MND	MND	0,00E+00	2,80E-11	7,04E-10	3,39E-10	2,68E-08
Human tox. non-cancer	CTUh	8,10E-07	2,07E-08	1,03E-07	9,34E-07	MND	4,09E-09	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,13E-09	2,97E-08	1,13E-08	1,19E-07
SQP[7)]	-	6,79E+02	2,68E+01	1,52E+03	2,22E+03	MND	1,64E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,46E+00	4,43E+00	4,41E+00	-7,61E+01

6) EN 15804+A2 disclaimer for Ionizing radiation, human health. This impact category deals mainly with the eventual impact of low-dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground facilities. Potential ionizing radiation from the soil, from radon and from some construction materials is also not measured by this indicator; 7) SQP = Land use related impacts/soil quality.

USE OF NATURAL RESOURCES

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Renew. PER as energy[8)]	MJ	1,34E+02	2,62E-01	1,51E+02	2,85E+02	MND	2,94E-01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,43E-02	3,98E-01	2,18E-01	-1,90E+01
Renew. PER as material	MJ	1,78E+02	0,00E+00	1,28E+02	3,07E+02	MND	-1,34E+02	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	-1,45E+02	-2,80E+01	1,75E+01
Total use of renew. PER	MJ	3,12E+02	2,62E-01	2,80E+02	5,92E+02	MND	-1,33E+02	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,43E-02	-1,45E+02	-2,78E+01	-1,46E+00
Non-re. PER as energy	MJ	4,31E+02	2,33E+01	1,01E+02	5,56E+02	MND	3,06E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,27E+00	4,49E+00	9,61E+00	-8,20E+01
Non-re. PER as material	MJ	3,21E+01	0,00E+00	1,06E+01	4,27E+01	MND	-1,14E+01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	-2,76E+01	-3,78E+00	-3,16E-03
Total use of non-re. PER	MJ	4,64E+02	2,33E+01	1,12E+02	5,99E+02	MND	-8,30E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,27E+00	-2,31E+01	5,84E+00	-8,20E+01
Secondary materials	kg	2,11E+00	6,47E-03	3,09E-01	2,43E+00	MND	3,18E-03	MND	MND	MND	MND	MND	MND	MND	0,00E+00	3,52E-04	5,05E-03	1,38E-02	2,49E+00
Renew. secondary fuels	MJ	1,60E+01	6,53E-05	2,66E+00	1,87E+01	MND	1,68E-05	MND	MND	MND	MND	MND	MND	MND	0,00E+00	3,55E-06	1,03E-04	3,08E-05	-4,05E+00
Non-ren. secondary fuels	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	0,00E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Use of net fresh water	m^3	4,87E-01	3,02E-03	1,20E-01	6,10E-01	MND	1,69E-03	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,64E-04	1,48E-03	4,28E-03	-1,68E-01

8) PER = Primary energy resources.

END OF LIFE – WASTE

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Hazardous waste	kg	3,86E+00	3,09E-02	5,64E-01	4,46E+00	MND	1,67E-02	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,68E-03	1,62E-02	4,66E-01	-2,95E+00
Non-hazardous waste	kg	5,82E+01	5,08E-01	1,49E+01	7,35E+01	MND	5,52E-01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	2,76E-02	8,41E+00	4,35E+00	-1,48E+01
Radioactive waste	kg	1,29E-03	1,56E-04	4,81E-04	1,93E-03	MND	1,98E-05	MND	MND	MND	MND	MND	MND	MND	0,00E+00	8,49E-06	1,94E-05	0,00E+00	-1,14E-04

END OF LIFE – OUTPUT FLOWS

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Components for re-use	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	0,00E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Materials for recycling	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	4,01E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	8,42E+00	0,00E+00	0,00E+00
Materials for energy rec	kg	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	4,56E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	0,00E+00	0,00E+00	0,00E+00
Exported energy	MJ	0,00E+00	0,00E+00	0,00E+00	0,00E+00	MND	0,00E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	0,00E+00	3,70E+01	0,00E+00	0,00E+00

ENVIRONMENTAL IMPACTS – EN 15804+A1, CML

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
Global Warming Pot.	kg CO_2e	3,13E+01	1,54E+00	6,37E+00	3,92E+01	MND	2,90E-01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	8,36E-02	1,50E+00	1,43E+00	-7,42E+00
Ozone depletion Pot.	kg CFC_{-11}e	2,30E-06	2,83E-07	5,93E-07	3,18E-06	MND	2,10E-08	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,54E-08	3,39E-08	1,54E-07	-4,07E-07
Acidification	kg SO_2e	2,60E-01	5,10E-03	3,15E-02	2,97E-01	MND	8,03E-04	MND	MND	MND	MND	MND	MND	MND	0,00E+00	2,78E-04	2,68E-03	2,19E-03	-3,59E-02
Eutrophication	kg PO_4^{3}e	1,04E-01	1,16E-03	2,79E-02	1,33E-01	MND	1,02E-03	MND	MND	MND	MND	MND	MND	MND	0,00E+00	6,33E-05	1,67E-03	1,07E-02	-1,68E-02
POCP (“smog”)	kg C_2H_4e	1,11E-02	1,99E-04	2,36E-03	1,37E-02	MND	6,13E-05	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,08E-05	9,39E-05	1,37E-04	-4,62E-03
ADP-elements	kg Sbe	1,42E-03	3,52E-06	4,45E-05	1,46E-03	MND	1,90E-06	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,92E-07	1,42E-05	3,24E-06	-6,50E-04
ADP-fossil	MJ	4,64E+02	2,33E+01	1,13E+02	6,00E+02	MND	3,06E+00	MND	MND	MND	MND	MND	MND	MND	0,00E+00	1,27E+00	4,49E+00	9,61E+00	-8,55E+01

ENVIRONMENTAL IMPACTS – GWP-GHG

Impact category	Unit	A1	A2	A3	A1-A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
GWP-GHG[9)]	kg CO_2e	3,13E+01	1,55E+00	6,46E+00	3,94E+01	MND	2,62E-01	MND	MND	MND	MND	MND	MND	MND	0,00E+00	8,45E-02	1,51E+00	1,21E+00	-7,84E+00

9) This indicator includes all greenhouse gases excluding biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product as defined by IPCC AR 5 (IPCC 2013). In addition, the characterisation factors for the flows - CH4 fossil, CH4 biogenic and Dinitrogen monoxide - were updated in line with the guidance of IES PCR 1.2.5 Annex 1. This indicator is identical to the GWP-total of EN 15804:2012+A2:2019 except that the characterization factor for biogenic CO2 is set to zero.

VERIFICATION STATEMENT

VERIFICATION PROCESS FOR THIS EPD

This EPD has been verified in accordance with ISO 14025 by an independent, third-party verifier by reviewing results, documents and compliancy with reference standard, ISO 14025 and ISO 14040/14044, following the process and checklists of the program operator for:

- This Environmental Product Declaration
- The Life-Cycle Assessment used in this EPD
- The digital background data for this EPD

Why does verification transparency matter? Read more online
This EPD has been generated by One Click LCA EPD generator, which has been verified and approved by the EPD Hub.

THIRD-PARTY VERIFICATION STATEMENT

I hereby confirm that, following detailed examination, I have not established any relevant deviations by the studied Environmental Product Declaration (EPD), its LCA and project report, in terms of the data collected and used in the LCA calculations, the way the LCA-based calculations have been carried out, the presentation of environmental data in the EPD, and other additional environmental information, as present with respect to the procedural and methodological requirements in ISO 14025:2010 and reference standard.

I confirm that the company-specific data has been examined as regards plausibility and consistency; the declaration owner is responsible for its factual integrity and legal compliance.

I confirm that I have sufficient knowledge and experience of construction products, this specific product category, the construction industry, relevant standards, and the geographical area of the EPD to carry out this verification.

I confirm my independence in my role as verifier; I have not been involved in the execution of the LCA or in the development of the declaration and have no conflicts of interest regarding this verification.

Elisabet Amat, as an authorized verifier acting for EPD Hub Limited

19.09.2025

EPD Hub
VERIFIED ISO 14025

ANNEX 1

ITEM LIST

Item number	Product description	GTIN	Net weight kg	A1-A3 Global Warming Potential total kg CO2e	A1-A3 Global Warming Potential fossil kg CO2e
1580038	VANITY UNIT GO 2 DRAWERS WHITE 500	7330027172644	16,6	8,74E+00	3,01E+01
1580040	VANITY UNIT GO 2 DRAWERS WHITE 600	7330027169361	21	3,57E+00	3,86E+01
1580041	VANITY UNIT GO 2 DRAWERS BLACK 600	7330027169378	21	3,57E+00	3,86E+01
1580042	VANITY UNIT GO 2 DRAWERS WHITE 800	7330027169385	25,5	1,65E+00	4,24E+01
1580043	VANITY UNIT GO 2 DRAWERS BLACK 800	7330027169392	25,5	1,65E+00	4,24E+01
1580044	VANITY UNIT GO 2 DRAWERS WHITE 1000	7330027169408	29,9	-6,51E+00	4,84E+01
1580045	VANITY UNIT GO 2 DRAWERS BLACK 1000	7330027169415	29,9	-6,51E+00	4,84E+01
1751008	VANITY UNIT LIFE WITH DOORS WHITE 600	7330027147505	12,1	8,36E+00	2,83E+01