



Sede Sociale e Stabilimento: Via Statale, 467 n. 119 - 42013 Casalgrande (RE) ITALY
 Tel. +39 0522 846 890 - 846 895 Fax comm. +39 0522 849 910 Fax amm. +39 0522 771 670
www.cipagres.it
 email export : e.baccarani@cipagres.it / a.ferretti@cipagres.it
 email Italy : s.quaglietta@cipagres.it
 email uff.. marketing : morisaniennio@cipagres.it

DECLARATION OF PERFORMANCE



Nr. A001CPR2013-06-22

Dry- pressed ceramic tiles with water absorption H_2O $E_b \leq 0.5\%$
For interior/exterior floorings and coverings

CIPA GRES SPA
Via Statale 467,119 – 42013 Casalgrande (RE) Italy

Main Features	Results	Harmonised Technical Specification
Reaction to fire	A1 _{FL} / A1	EN 14411:2012
Disposal of dangerous substances for		
Cadmium	NPD	
Lead	NPD	
Breaking Strength	>1300	
Tactility	NPD	
Slip Resistance	See table enclosed herewith	
Bond Strength for		
Adhesion cement, Type C2	1 N/mm ²	
Résistance to thermal shocks	Resistant	
Durability for:		
Internal use	Resistant	
External use: frost resistance	Resistant	

.....
Date and place of issue

.....
Stamp and Signature



continuità e innovazione

Sede Sociale e Stabilimento: Via Statale, 467 n. 119 - 42013 Casalgrande (RE) ITALY
 Tel. +39 0522 846 890 - 846 895 Fax comm. +39 0522 849 910 Fax amm. +39 0522 771 670
www.cipagres.it
 email export : e.baccarani@cipagres.it / a.ferretti@cipagres.it
 email Italy : s.quaglietta@cipagres.it
 email uff.. marketing : morisaniernico@cipagres.it

Table– SLIP RESISTANCE (where required by the law)

3

Nr. A001CPR2013-06-22		ASTM C1028 wet/ dry (USA)	DIN 51130 (DE)	BCRA D.M. 236/199989 wet/dry (ITA)	Basic Document SUA ENV 12633/06 (ESP)	BS 7976 2:2002 PTV – TRL wet/dry (EN)
Method of use			Ramp	Tortus	Pendulum	Pendulum
RANGE	PRODUCT					
Graniti	Matt	NPD	R9	NPD	NPD	44/104
Graniti	Roccia	NPD	R11	NPD	47 – class 3	45/102
Graniti	Matt R10	NPD	R10	0.57/0.72	40 – class 2	NPD
Graniti	SLR	NPD	R12	NPD	NPD	47/99
Graniti	Quadri	NPD	R11	NPD	NPD	NPD
Graniti	Line	NPD	R12	NPD	NPD	55/96
Graniti	Star	NPD	R12	NPD	NPD	44/96
Graniti	Point	NPD	R12	NPD	NPD	NPD
Graniti	Square	NPD	R12	NPD	NPD	NPD
Graniti	Corindo	NPD	R13	NPD	NPD	NPD
Graniti	Carborundum	NPD	R12	NPD	NPD	NPD
Granati	Matt	NPD	R9	NPD	NPD	NPD
Granati	Roccia	NPD	R11	NPD	NPD	NPD
Colourstyle	Matt	NPD	R9	NPD	NPD	NPD
Colourstyle	Roccia	NPD	R11	NPD	NPD	NPD
Colourstyle	SLR	NPD	R12	NPD	NPD	NPD
Colourstyle	Star	NPD	R12	NPD	NPD	NPD
Colourstyle	Line	NPD	R12	NPD	NPD	NPD
Landfusion	Matt	NPD	R9	NPD	NPD	NPD
Landfusion	Ardesia	0.75/0.99	R12	NPD	NPD	40/107
Landstone	Matt	NPD	R9	NPD	NPD	NPD
Landstone	Rock	0.77/0.97	R11	NPD	NPD	38/102
Porfido	Matt	NPD	R11	NPD	NPD	39/100
Pietra Piasentina	Matt	NPD	R11	NPD	NPD	NPD
Borghi Medievali	Matt	0.71/0.81	R11	NPD	NPD	NPD
Spagna	Matt	NPD	NPD	NPD	NPD	NPD
Spagna	Matt R10	NPD	R10	0.58/0.77	NPD	NPD
Europa	Matt	NPD	R9	NPD	NPD	NPD
Egeo	Matt	NPD	NPD	0.42/0.43	NPD	NPD
Eternity	Matt	0.73/0.95	R11	NPD	NPD	39/95
Eternity	Rustico	0.72/0.96	R11	NPD	NPD	34/104
Eternity	Righe	0.70/1.00	R11	NPD	NPD	41/94
Crystal Live	Sideral	NPD	NPD	NPD	NPD	NPD
Crystal Live	Clips	NPD	R10	NPD	NPD	32/117
Antica Roma	Matt	0.63/0.72	NPD	NPD	NPD	NPD
Crema Marfil	Matt	0.49/0.66	NPD	NPD	NPD	NPD



Sede Sociale e Stabilimento: Via Statale, 467 n. 119 - 42013 Casalgrande (RE) ITALY
Tel. +39 0522 846 890 - 846 895 Fax comm. +39 0522 849 910 Fax amm. +39 0522 771 670
www.cipagres.it
email export : e.baccarani@cipagres.it / a.ferretti@cipagres.it
email Italy : s.quaglietta@cipagres.it
email uff.. marketing : morisaniennio@cipagres.it