

EAN: 6414150078798

www.oras.com/en/products/oras/product/1021



Washbasin faucet with swivel spout swing angle and Bidetta hand shower. Spout's swing angle is factory preset at 120° (can be limited to 40°-80°). There are also in-built limitation options for water temperature and maximum flow-rate.

- Bathroom
- Single lever, Bidetta
- Deck mounted
- Chrome
- Swivel spout
- Bidetta hand shower
- Limitation option for maximum flow-rate
- 3S-installation system for safe and simple mounting

Technical data

Flow properties

Flow-rate at 300 kPa	0.15 l/s
Pressure loss with flow (0.1 l/s)	130 kPa

Technical properties


Hot water supply	max. +80°C
Working pressure	50 - 1000 kPa
Connection size	Ø10 mm
Projection	133 mm
Material	brass




Regulations

EN standard	EN 817
Noise class	I (ISO 3822)


Type approvals

STF certificate	VTT-RTH-00090-17
KIWA SE	1490






Spare parts



SP1021

	Code
01	602502V
02	602589V
03	158726
04	158890
05	602520V
06	1001406/10
06	1002207/10
07	1000780V
08	602610V
09	232211
10	601097/10
11	158735
12	159423/10
13	1001405V
14	158825
15	159684



SP0035

	Code
01	249302/10
02	249690