



Saves Your Energy

Uudet LED-valaisimet

Entistä enemmän tehoa ja energiatehokkuutta



AVR254 LED
AVR320 LED
AVR400 LED
AVD370 LED
AVR66 LED

Uudet LED -valaisimet

AVR254 LED IP54 3x2,5mm²




Tuotekoodi	Snro	Kuvaus	Valovir- ta (lm)	Pakkaus EC/CT/PX
AVR254 8W				
AVR254.18L	4217370	AVR254 IP54 LED 8W/840 E AC O	550	1/12/120
AVR254.184L	4217371	AVR254 IP54 LED 8W/840 E AC O PIR	550	1/12/120
AVR254.189L	4217373	AVR254 IP54 LED 8W/840 E AC O RAD	550	1/12/120
AVR254.18L/3K	4217374	AVR254 IP54 LED 8W/830 E AC O	530	1/12/120
AVR254.184L/3K	4217376	AVR254 IP54 LED 8W/830 E AC O PIR	530	1/12/120
AVR254.189L/3K	4217377	AVR254 IP54 LED 8W/830 E AC O RAD	530	1/12/120
AVR254 11W				
AVR254.111L	4217361	AVR254 IP54 LED 11W/840 E AC O	750	1/12/120
AVR254.1114L	4217364	AVR254 IP54 LED 11W/840 E AC O PIR	750	1/12/120
AVR254.1119L	4217365	AVR254 IP54 LED 11W/840 E AC O RAD	750	1/12/120
AVR254.111L/3K	4217362	AVR254 IP54 LED 11W/830 E AC O	725	1/12/120
AVR254.1114L/3K	4217367	AVR254 IP54 LED 11W/830 E AC O PIR	725	1/12/120
AVR254.1119L/3K	4217368	AVR254 IP54 LED 11W/830 E AC O RAD	725	1/12/120

AVR320 LED IP44 5x2,5mm²

Tuotekoodi	Snro	Kuvaus	Valovirta (lm)	Pakkaus EC/CT/PX
AVR320.110 10W				
AVR320.110L	4260175	AVR320 IP44 LED 10W/840 E PC O	1010	1/6/42
AVR320.1104L	4260178	AVR320 IP44 LED 10W/840 E PC O PIR	1010	1/6/42
AVR320.1109L	4260181	AVR320 IP44 LED 10W/840 E PC O RAD	1010	1/6/42
AVR320.110L/1M	4260187	AVR320/1M IP44 LED 10W/840 E PC O	1010	1/6/42
AVR320.110DL	4260190	AVR320 IP44 LED 10W/840 D PC O	1010	1/6/42
AVR320.1105DL	4260193	AVR320 IP44 LED 10W/840 D PC O PIR	1010	1/6/42
AVR320.1106DL	4260196	AVR320 IP44 LED 10W/840 D PC O PIR	1010	1/6/42
AVR320.1109DL	4260199	AVR320 IP44 LED 10W/840 D PC O RAD	1010	1/6/42
AVR320.1105DL/1M	4260200	AVR320/1M IP44 LED 10W/840 D PC O P	1010	1/6/42
AVR320.110DDL	4260202	AVR320 IP44 LED 10W/840 DALI PC O	1010	1/6/42
AVR320.110L/3K	4260203	AVR320 IP44 LED 10W/830 E PC O	980	1/6/42
AVR320.1104L/3K	4260206	AVR320 IP44 LED 10W/830 E PC O PIR	980	1/6/42
AVR320.1109L/3K	4260209	AVR320 IP44 LED 10W/830 E PC O RAD	980	1/6/42
AVR320.110DL/3K	4260211	AVR320 IP44 LED 10W/830 D PC O	980	1/6/42
AVR320.1105DL/3K	4260234	AVR320 IP44 LED 10W/830 D PC O PIR	980	1/6/42
AVR320.1106DL/3K	4260241	AVR320 IP44 LED 10W/830 D PC O PIR	980	1/6/42
AVR320.1109DL/3K	4260243	AVR320 IP44 LED 10W/830 D PC O RAD	980	1/6/42
AVR320.110DDL/3K	4260249	AVR320 IP44 LED 10W/830 DALI PC O	980	1/6/42
AVR320.114 14W				
AVR320.1144L	4260253	AVR320 IP44 LED14W/840 EPIR	1360	1/6/42
AVR320.1144L/3K	4228908	AVR320 IP44 LED14W/830 EPIR	1315	1/6/42
AVR320.1145DL	4228902	AVR320 IP44 LED14W/840 DPIR5	1360	1/6/42
AVR320.1145DL/3K	4228912	AVR320 IP44 LED14W/830 DPIR5	1315	1/6/42
AVR320.1146DL	4228903	AVR320 IP44 LED14W/840 DPIR6	1360	1/6/42
AVR320.1146DL/3K	4228913	AVR320 IP44 LED14W/830 DPIR6	1315	1/6/42
AVR320.1149DL	4228904	AVR320 IP44 LED14W/840 DRAD	1360	1/6/42
AVR320.1149DL/3K	4228914	AVR320 IP44 LED14W/830 DRAD	1315	1/6/42
AVR320.1149L	4260255	AVR320 IP44 LED14W/840 ERAD	1360	1/6/42
AVR320.1149L/3K	4228909	AVR320 IP44 LED14W/830 ERAD	1315	1/6/42
AVR320.114DDL	4228906	AVR320 IP44 LED14W/840 DA	1360	1/6/42
AVR320.114DDL/3K	4228915	AVR320 IP44 LED14W/830 DA	1315	1/6/42
AVR320.114DL	4228900	AVR320 IP44 LED14W/840 D	1360	1/6/42
AVR320.114DL/3K	4228910	AVR320 IP44 LED14W/830 D	1315	1/6/42
AVR320.114DLR	4228901	AVR320 IP44 LED14W/840 DRELAY	1360	1/6/42
AVR320.114DLR/3K	4228911	AVR320 IP44 LED14W/830 DRELAY	1315	1/6/42
AVR320.114L	4260252	AVR320 IP44 LED14W/840 E	1360	1/6/42
AVR320.114L/3K	4228907	AVR320 IP44 LED14W/830 E	1315	1/6/42
AVR320.114L/1M	4260295	AVR320 IP44 LED14W/840 E1M	1360	1/6/42
AVR320.1145DL/1M	4228905	AVR320 IP44 LED14W/840 DPIR51M	1360	1/6/42

AVR400 LED IP44 5x2,5mm²


Tuotekoodi	Snro	Kuvaus	Valovirta (lm)	Pakkaus EC/CT/PX
AVR400.118 18W				
AVR400.118L	4217356	AVR400 IP44 LED 18W/840 E PC O	1790	1/6/42
AVR400.1184L	4217358	AVR400 IP44 LED 18W/840 E PC O PIR	1790	1/6/42
AVR400.1189L	4217359	AVR400 IP44 LED 18W/840 E PC O RAD	1790	1/6/42
AVR400.118L/1M	4217379	AVR400/1M IP44 LED 18W/840 E PC O	1790	1/6/42
AVR400.118DL	4217380	AVR400 IP44 LED 18W/840 D PC O	1790	1/6/42
AVR400.1185DL	4217382	AVR400 IP44 LED 18W/840 D PC O PIR	1790	1/6/42
AVR400.1189DL	4217383	AVR400 IP44 LED 18W/840 D PC O RAD	1790	1/6/42
AVR400.1186DL	4217385	AVR400 IP44 LED 18W/840 D PC O PIR	1790	1/6/42
AVR400.1185DL/1M	4217386	AVR400/1M IP44 LED 18W/840 D PC O P	1790	1/6/42
AVR400.118DDL	4217388	AVR400 IP44 LED 18W/840 DALI PC O	1790	1/6/42
AVR400.118L/3K	4217389	AVR400 IP44 LED 18W/830 E PC O	1730	1/6/42
AVR400.1184L/3K	4217391	AVR400 IP44 LED 18W/830 E PC O PIR	1730	1/6/42
AVR400.1189L/3K	4217392	AVR400 IP44 LED 18W/830 E PC O RAD	1730	1/6/42
AVR400.118DL/3K	4217394	AVR400 IP44 LED 18W/830 D PC O	1730	1/6/42
AVR400.1185DL/3K	4217395	AVR400 IP44 LED 18W/830 D PC O PIR	1730	1/6/42
AVR400.1189DL/3K	4217397	AVR400 IP44 LED 18W/830 D PC O RAD	1730	1/6/42
AVR400.1186DL/3K	4217398	AVR400 IP44 LED 18W/830 D PC O PIR	1730	1/6/42
AVR400.118DDL/3K	4217400	AVR400 IP44 LED 18W/830 DALI PC O	1730	1/6/42




AVD370 LED IP44 5x2,5mm²

Tuotekoodi	Snro	Kuvaus	Valovirta (lm)	Pakkaus EC/CT/PX
AVD370.114 14W				
AVD370.1144L	4117244	AVD370 IP44 LED14W/840 EPIR	1220	1/4/32
AVD370.1144L/3K	4117262	AVD370 IP44 LED14W/830 EPIR	1160	1/4/32
AVD370.1145DL	4117251	AVD370 IP44 LED14W/840 DPIR5	1220	1/4/32
AVD370.1145DL/3K	4117268	AVD370 IP44 LED14W/830 DPIR5	1160	1/4/32
AVD370.1149DLG	4117253	AVD370 IP21/44 LED14W/840DGRAD	1290	1/4/32
AVD370.1149DLG/3K	4117269	AVD370 IP21/44 LED14W/830DGRAD	1230	1/4/32
AVD370.1149LG	4117245	AVD370 IP21/44 LED14W/840EGRAD	1290	1/4/32
AVD370.1149LG/3K	4117263	AVD370 IP21/44 LED14W/830EGRAD	1230	1/4/32
AVD370.114DDL	4117256	AVD370 IP44 LED14W/840 DALI	1220	1/4/32
AVD370.114DDL/3K	4117275	AVD370 IP44 LED14W/830 DALI	1160	1/4/32
AVD370.114DL	4117248	AVD370 IP44 LED14W/840 D	1220	1/4/32
AVD370.114DL/3K	4117265	AVD370 IP44 LED14W/830 D	1160	1/4/32
AVD370.114DLG	4117250	AVD370 IP21/44 LED14W/840 DG	1220	1/4/32
AVD370.114DLG/3K	4117266	AVD370 IP21/44 LED14W/830 DG	1160	1/4/32
AVD370.114L	4117241	AVD370 IP44 LED14W/840 E	1290	1/4/32
AVD370.114L/3K	4117259	AVD370 IP44 LED14W/830 E	1230	1/4/32
AVD370.114LG	4117242	AVD370 IP21/44 LED14W/840 EG	1290	1/4/32
AVD370.114LG/3K	4117260	AVD370 IP21/44 LED14W/840 EG	1230	1/4/32
AVD370.1145DL/1M	4117254	AVD370 IP44 LED14W/840 DPIR51M	1220	1/4/32
AVD370.114L/1M	4117247	AVD370 IP44 LED14W/840 E1M	1220	1/4/32
AVD370.114DDL	4117257	AVD370 IP21/44 LED14W/840DALIG	1220	1/4/32
AVD370.114DDL/3K	4117289	AVD370 IP21/44 LED14W/830DALIG	1160	1/4/32
AVD370.118 18W				
AVD370.118L	4159508	AVD370 IP44 LED 18W/840 E PC O	1700	1/4/32
AVD370.118LG	4159509	AVD370 IP21/44 LED 18W/840 E G FR	1530	1/4/32
AVD370.1184L	4159510	AVD370 IP44 LED 18W/840 E PC O PIR	1700	1/4/32
AVD370.1189LG	4159511	AVD370 IP21/44 LED 18W/840 EGFR RAD	1530	1/4/32
AVD370.118L/1M	4159512	AVD370/1M IP44 LED 18W/840 E PC O	1700	1/4/32
AVD370.118DL	4159513	AVD370 IP44 LED 18W/840 D PC O	1700	1/4/32
AVD370.118DLG	4159514	AVD370 IP21/44 LED 18W/840 D G FR	1530	1/4/32
AVD370.1185DL	4159515	AVD370 IP44 LED 18W/840 D PC O PIR	1700	1/4/32
AVD370.1189DLG	4159516	AVD370 IP21/44 LED 18W/840 DGFR RAD	1530	1/4/32
AVD370.1185DL/1M	4159517	AVD370/1M IP44 LED 18W/840 D PC O P	1700	1/4/32
AVD370.118DDL	4159518	AVD370 IP44 LED 18W/840 DALI PC O	1700	1/4/32
AVD370.118DDL	4159519	AVD370 IP21/44 LED 18W/840 DALI GFR	1530	1/4/32
AVD370.118L/3K	4159520	AVD370 IP44 LED 18W/830 E PC O	1650	1/4/32
AVD370.118LG/3K	4159521	AVD370 IP21/44 LED 18W/830 E G FR	1490	1/4/32
AVD370.1184L/3K	4159522	AVD370 IP44 LED 18W/830 E PC O PIR	1650	1/4/32
AVD370.1189LG/3K	4159523	AVD370 IP21/44 LED 18W/830 EGFR RAD	1490	1/4/32
AVD370.118DL/3K	4159524	AVD370 IP44 LED 18W/830 D PC O	1650	1/4/32
AVD370.118DLG/3K	4159525	AVD370 IP21/44 LED 18W/830 D G FR	1490	1/4/32
AVD370.1185DL/3K	4159526	AVD370 IP44 LED 18W/830 D PC O PIR	1650	1/4/32
AVD370.1189DLG/3K	4159527	AVD370 IP21/44 LED 18W/830 EGFR RAD	1490	1/4/32
AVD370.118DDL/3K	4159528	AVD370 IP44 LED 18W/830 DALI PC O	1650	1/4/32
AVD370.118DDL/3K	4159529	AVD370 IP21/44 LED 18W/830 DALI GFR	1490	1/4/32

AVD370




KOODIAVAIN



AVR66 LED IP44 5x2,5mm²

Tuotekoodi	Snro	Kuvaus	Valovirta (lm)	Pituus (mm)
AVR66.110 10W				
AVR66.110L	4217601	AVR66 IP44 LED10W/840 E	950	600
AVR66.110L/3K	4217617	AVR66 IP44 LED10W/830 E	895	600
AVR66.110LAL/3K	4217629	AVR66 IP44 LED10W/830 EAL	895	600
AVR66.1101L	4217605	AVR66 IP44 LED10W/840 E1	950	644
AVR66.1101L/3K	4217620	AVR66 IP44 LED10W/830 E1	895	644
AVR66.1101LAL/3K	4217631	AVR66 IP44 LED10W/830 E1AL	895	644
AVR66.110LP	4217607	AVR66 IP44 LED10W/840 EP	950	677
AVR66.110LP/3K	4217622	AVR66 IP44 LED10W/830 EP	895	677
AVR66.110LPAL/3K	4217632	AVR66 IP44 LED10W/830 EPAL	895	677
AVR66.1101LP	4217610	AVR66 IP44 LED10W/840 E1P	950	721
AVR66.1101LP/3K	4217623	AVR66 IP44 LED10W/830 E1P	895	721
AVR66.1101LPAL/3K	4217634	AVR66 IP44 LED10W/830 E1PAL	895	721
AVR66.1104L	4217611	AVR66 IP44 LED10W/840 EPIR	950	656
AVR66.1104L/3K	4217625	AVR66 IP44 LED10W/830 EPIR	895	656
AVR66.1104LAL/3K	4217635	AVR66 IP44 LED10W/830 EPIRAL	895	656
AVR66.1104LP	4217613	AVR66 IP44 LED10W/840 EPIRP	950	733
AVR66.1104LP/3K	4217626	AVR66 IP44 LED10W/830 EPIRP	895	733
AVR66.1104LPAL/3K	4217637	AVR66 IP44 LED10W/830 EPIRPAL	895	733
AVR66.1109L	4217616	AVR66 IP44 LED10W/840 ERAD	950	656
AVR66.1109L/3K	4217628	AVR66 IP44 LED10W/830 ERAD	895	656
AVR66.1109LAL/3K	4217638	AVR66 IP44 LED10W/830 ERADAL	895	656
AVR66.115 15W				
AVR66.115L	4217640	AVR66 IP44 LED15W/840 E	1425	900
AVR66.115L/3K	4217657	AVR66 IP44 LED15W/830 E	1342	900
AVR66.1151L	4217641	AVR66 IP44 LED15W/840 E1	1425	944
AVR66.1151L/3K	4217659	AVR66 IP44 LED15W/830 E1	1342	944
AVR66.115LP	4217643	AVR66 IP44 LED15W/840 EP	1425	977
AVR66.115LP/3K	4217661	AVR66 IP44 LED15W/830 EP	1342	977
AVR66.1151LP	4217644	AVR66 IP44 LED15W/840 E1P	1425	1021
AVR66.1151LP/3K	4217663	AVR66 IP44 LED15W/830 E1P	1342	1021
AVR66.1154L	4217646	AVR66 IP44 LED15W/840 EPIR	1425	956
AVR66.1154L/3K	4217665	AVR66 IP44 LED15W/830 EPIR	1342	956
AVR66.1154LP	4217647	AVR66 IP44 LED15W/840 EPIRP	1425	1033
AVR66.1154LP/3K	4217666	AVR66 IP44 LED15W/830 EPIRP	1342	1033
AVR66.1159L	4217649	AVR66 IP44 LED15W/840 ERAD	1425	1033
AVR66.1159L/3K	4217667	AVR66 IP44 LED15W/830 ERAD	1342	956
AVR66.115DL	4217653	AVR66 IP44 LED15W/840 D	1425	900
AVR66.115DL/3K	4217668	AVR66 IP44 LED15W/830 D	1342	900
AVR66.115DDL	4217655	AVR66 IP44 LED15W/840 DALI	1425	900
AVR66.115DDL/3K	4217669	AVR66 IP44 LED15W/830 DALI	1342	900
AVR66.120 20W				
AVR66.120L	4217916	AVR66 IP44 LED20W/840 E	1900	1200
AVR66.120L/3K	4217945	AVR66 IP44 LED20W/830 E	1790	1200
AVR66.1201LP	4217917	AVR66 IP44 LED20W/840 E1P	1900	1321
AVR66.1201LP/3K	4217946	AVR66 IP44 LED20W/830 E1P	1790	1321
AVR66.1204L	4217918	AVR66 IP44 LED20W/840 EPIR	1900	1256
AVR66.1204L/3K	4217947	AVR66 IP44 LED20W/830 EPIR	1790	1256
AVR66.1209L	4217919	AVR66 IP44 LED20W/840 ERAD	1900	1200
AVR66.1209L/3K	4217948	AVR66 IP44 LED20W/830 ERAD	1790	1200
AVR66.1205DL	4217921	AVR66 IP44 LED20W/840 DPIR5	1900	1200
AVR66.1205DL/3K	4217949	AVR66 IP44 LED20W/830 DPIR5	1790	1200
AVR66.1206DL	4217923	AVR66 IP44 LED20W/840 DPIR6	1900	1200
AVR66.1206DL/3K	4217958	AVR66 IP44 LED20W/830 DPIR6	1790	1200
AVR66.1209DL	4217925	AVR66 IP44 LED20W/840 DRAD	1900	1256
AVR66.1209DL/3K	4217959	AVR66 IP44 LED20W/830 DRAD	1790	1256
AVR66.120DL	4217927	AVR66 IP44 LED20W/840 D	1900	1200
AVR66.120DL/3K	4217971	AVR66 IP44 LED20W/830 D	1790	1200
AVR66.120DDL	4217929	AVR66 IP44 LED20W/840 DALI	1900	1200
AVR66.120DDL/3K	4217998	AVR66 IP44 LED20W/830 DALI	1790	1200
AVR66.120L/1M	4217943	AVR66 IP44 LED20W/840 E1M	1900	1200
AVR66.1205DL/1M	4217944	AVR66 IP44 LED20W/840 DPIR51M	1900	1200

AVR66



Saves Your Energy

Ensto Finland Oy
Ensio Miettisen katu 2, PL 77
06101 Porvoo
ensto@ensto.com
www.ensto.fi