

CERTIFICATE FI/41236

Our Ref. HEL-CERT191100717-03



Product Shuttered socket-outlet

Type 101414, 101414-02, 101443, 101443-02

Trademark LEXEL

Certificate Holder Schneider Electric Industries SAS
35 Rue Joseph Monier
FR-92500, Rueil-Malmaison, France

Technical information 16 A; 250 V~; Class 0 and I; IP20, IP21 and IP44

Other information Standard sheet CEE7 / III and CEE 7 / I and CEE7 / V.
Flush-type two fold, Surface-type two fold and four fold. With shutters.
Screw or screwless terminals. All colours.
The design of the socket-outlet with base type 101414-02 and 101443-02 is consisting of plastic threads in socket for connecting cover to socket base. The design of the socket-outlet base type 101414 and 101443 is consisting of metal threads in socket for connecting cover to socket base.
If the flush-type socket-outlet is to be installed in an unearthed metal box, the required clearance between live part and the metal box of minimum 4,5 mm shall be met.
If the flush-type socket-outlet is to be installed in an exclusively earthed metal box, the required clearance between live part and the metal box of minimum 3 mm shall be met.

The product is certified according to the following standard(s) IEC 60884-1:2002 + A1:2006 + A2:2013
SFS 5610:2004 + A1:2008

Validity This certificate is valid until 2022-11-03 provided that the Conditions for FI certification are met. This certificate includes the right to use the FI mark under the condition that changes (if any) will be checked at SGS Fimko before the product is brought onto market and that the conditions for FI certification are met.


Date of issue 2021-11-03

SGS Fimko Ltd

Signature



Sixten Löfkors
Project Manager



Manufacturer Schneider Electric Industries SAS
35 Rue Joseph Monier
FR-92500, Rueil-Malmaison, France

Manufacturing site Elda-Eltra Elektrotehnika S.A
Bugno 1
78-400, Szczecinek, Poland

Additional information See details on pages 3 and 4 of this Certificate

This certificate replaces certificate FI/40874 dated 07 December 2020, due to updated Certificate holder and Manufacturer and prolonged validity.

Based on: HELES2110001168, 278310-3, 298184-1 and 300833-1

Additional information

Socket- outlets flush-type two fold

Socket	Terminals	IP- Class	Mounting	Earth- type*	Design	Included parts (Cover parts etc)
101414 / 101414-02 101443 / 101443-02 (Flush-type 1,2)	Screw or Screwless terminals- Bridge connections / Through connections	20	Flush-type With Metal or Composite fixing frame semi flush	S	Trend	101392
				U		100465
				S		100464
				S	Decora	101433
				U		101063
				U	Senso	101284
				S		101281
				C		101283
				U	Artic	101425
				S		101426
				S	Neutral	101515
				U		101516
				S	Unica	101527
				U		101528
				C		101535
				F		101530
				S		101531
				U		101532
				C		101533
				F		101534
101414 / 101414-02			Composite fixing frame and	S	Robust	101610
				F	Alombard	74220
(Flush type 3)			metal fixing frame semi flush	S	Lyx	100813
				S	Trend HP	100818
				U		100819
				S	Van-Geel	100969
				S	Trend Solid	101548, 101549, 101550***
				S	Artic Decor	101554 + outer frame***
				S		101367, 101364
				U	Renova	101365, 101364
				F		101470, 101364
				C		101471, 101364
101414 / 101414-02 (type 4)			Metal fixing frame 110368	S	Decora	101133
				S	Round	101155
101443 / 101443-02 (Flush type 3)			Full-flush with metal fixing frame	S	Trend	101578
				S	Trend Solid	101580, 101548, 101549***
				S	Artic	101581
				S	Artic Decor	101582 + outer frame***
				S	Exxact	35087
				S	M - SMART	NHA44968
101443 / 101443-02 (Flush type 1,2)			Semi flush with metal fixing frame	S	Exxact	35087
				U		42379
				S		42379 with pilot lamp
				S		42381
				U		42385
				S		42390
				S	M - SMART	NHA44972
				S	SYS - DESIGN	NHA50152
				S	SYS - ARTEC	

Additional information

Socket- outlets surface-type two fold and four fold, Socket-outlet flush-type two fold

Socket	Terminals	IP-Class	Mounting	Earth-type*	Design	Included parts (Cover parts etc)
101414* / *101414-02	Screw or Screwless terminals- Bridge connections / Through connections	20	Surface-type	U	Trend	100542
				U	Quick-Rot 4W Exxact	101439
		21		U	ROT	100780
				S	Quick-Rot	100571
				S		100541
				S	Quick-Rot 4W Exxact	101083

101414 / 101414-02 101443* / 101443-02 101414-02	44	Flush-type	U	Artic	101428
			S	Artic	101429
		Surface-type	S	ROT	100779
			S	Aqua-Trend Exxact NOTE 1	101165

101414-02	20	Surface-type	S	Robust	101604
-----------	----	--------------	---	--------	--------

NOTE 1 : Available with lockable lids.

* = Socket types		**= (Earth-type):	
Flush types		U	Without earth contact
1	Metallic "Standard"	S	With side-earth contact
2	Composite "Standard"	F	With pin-earth contact
3	Composite "Renova"	C	With pin earth contact (CZ)
4	Metallic "Diagonal"		
5	Metallic "Full-Flush"		
Surface types		***=Changeable frames	
1	2-way with backplate	101549 may be exchanged by metal plate or glass plate	
2	2-way without backplate	Outer frame consisting of backframe of plastic, and a plate of plastic, metal or glass	
3	4-way composition		

Flush-type socket-outlet types 1, 2 and 4 and surface-type socket-outlet types 1, 2 and 3 comply with the requirement for unintentional contact with test finger to current-carrying parts according to EN 60529 (IPX0B)	
--	--