
Casco[®] FiberFlow

DECLARATION OF PERFORMANCE

No. 18317036

1	UNIQUE IDENTIFICATION CODE OF THE PRODUCT-TYPE:	18317036
2	INTENDED USE/S	Cementitious screed material for interior and exterior use
3	MANUFACTURER:	Sika Services AG Tüffenwies 16-22 8064 Zürich Switzerland
4	AUTHORISED REPRESENTATIVE:	
5	SYSTEM/S OF AVCP:	System 4/ System 4 for reaction to fire
6a	HARMONISED STANDARD:	EN 13813:2002

Notified body/ies:

Declaration of Performance

Casco[®] FiberFlow
18317036
06.05.2021 , ver. 1
1015

7 DECLARED PERFORMANCE/S

Essential Characteristics	Performance	AVCP	Harmonised Technical Specification
Reaction to fire: ¹⁾	E	System 4	EN 13813:2002
Release of corrosive substances:	CT	System 4	
Water vapour permeability:	NPD	System 4	
Compressive strength	C25	System 4	
Flexural strength	F6	System 4	
Wear resistance	NPD	System 4	
Impact resistance:	NPD	System 4	
Sound insulation:	NPD	System 4	
Sound absorption:	NPD	System 4	
Thermal resistance:	NPD	System 4	
Chemical resistance:	NPD	System 4	

¹⁾ According to Commission Decision 2000/147/EG of 8 February 2000 the product fulfils the reaction-to-fire performance class E/Efl without further testing

8 APPROPRIATE TECHNICAL DOCUMENTATION AND/OR - SPECIFIC TECHNICAL DOCUMENTATION

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Name: Wolfgang Börsting
Function: Research and
Development Manager
Rosendahl, 03.05.2021

Name: Nicole Underberg
Function: QC Manager
Rosendahl, 24.09.2021



End of information as required by Regulation (EU) No 305/2011

Declaration of Performance

Casco® FiberFlow
18317036
06.05.2021, ver. 1
1015



21

EN 13813:2002

18317036

Sika Services AG, Zürich, Switzerland

Cementitious screed material for internal uses

Reaction to fire:	E
Release of corrosive substances:	CT
Compressive strength	C25
Flexural strength	F6

<http://dop.sika.com>

ECOLOGY, HEALTH AND SAFETY INFORMATION (REACH)

For information and advice on the safe handling, storage and disposal of chemical products, users shall refer to the most recent Safety Data Sheet (SDS) containing physical, ecological, toxicological and other safety related data.

LEGAL NOTE

The information, and, in particular, the recommendations relating to the application and end-use of Sika products, are given in good faith based on Sika's current knowledge and experience of the products when properly stored, handled and applied under normal conditions in accordance with Sika's recommendations. In practice, the differences in materials, substrates and actual site conditions are such that no warranty in respect of merchantability or of fitness for a particular purpose, nor any liability arising out of any legal relationship whatsoever, can be inferred either from this information, or from any written recommendations, or from any other advice offered. The user of the product must test the products suitability for the intended application and purpose. Sika reserves the right to change the properties of its products. The proprietary rights of third parties must be observed. All orders are accepted subject to our current terms of sale and delivery. Users must always refer to the most recent issue of the local Product Data Sheet for the product concerned, copies of which will be supplied on request.


Declaration of Performance

Casco® FiberFlow
18317036
06.05.2021 , ver. 1
1015

FOR FURTHER INFORMATION:

Sika Services AG
Tüffenwies 16
8048 Zürich

Telefon +41-58 436 40 40
Telefax +41-58 436 53 54
www.sika.ch



Declaration of Performance

Casco® FiberFlow
18317036
06.05.2021 , ver. 1
1015