









SUBMARINE® INTEGRATED SLIM



	EAN	W	lm Light Source	lm Output	K	IP	°C	V~	mA	Hz	PF	°	h	kg
SUBMARINE I SLIM VALUE 0.6M 840	4058075266391	10	1200	900	4000	65	-20...+35	220-240	100	50/60	>0.5	120	25000	0.2
SUBMARINE I SLIM VALUE 1.2M 840	4058075266414	18	1900	1600	4000	65	-20...+35	220-240	170	50/60	>0.5	120	25000	0.3
SUBMARINE I SLIM VALUE 1.5M 840	4058075266438	24	3000	2160	4000	65	-20...+35	220-240	230	50/60	>0.5	120	25000	0.4





	EAN	This product contains a light source of energy efficiency class	Contained Light Source
SUBMARINE I SLIM VALUE 0.6M 840	4058075266391	E	
SUBMARINE I SLIM VALUE 1.2M 840	4058075266414	F	
SUBMARINE I SLIM VALUE 1.5M 840	4058075266438	E	



FR

Cet appareil et ses accessoires se recyclent

À DÉPOSER EN MAGASIN

À DÉPOSER EN DÉCHÈTERIE

OU

Points de collecte sur www.quefairedemesdechets.fr

C10449057
G11144956
14.06.2022



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com