

SHOWA 460

Built to stay flexible in temperatures as low as -4°F/-20°C, the 460 cold-resistant glove provides superior warmth in cold weather. Its PVC coating protects against oils and chemicals, and the rough grip allows tactile precision when handling small greasy components. The 460 also offers superior wrist protection from harmful substances, and reduces potential exposure to bacteria, viruses, and fungi.




BENEFITS

- Protects up to -20°C
- Oil-resistant
- Chemical-resistant
- Increased dexterity
- Extra Grip
- Water-resistant
- Flexible
- Impermeable

FEATURES

- Full PVC Coating
- Rough grip
- Forearm protection

NORMS & CERTIFICATES



INDUSTRIES

HAZARDS



Chemical



Cold

TRADES & APPLICATIONS

- Chemical spray and treatment
- Coating preparation
- Painting & spray workshops

GET IN TOUCH

SHOWA International B.V. | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
 © SHOWA GROUP 2025 | All rights reserved

PACKAGING

- Pair per polybag: 10
- Polybags per case: 6
- Pair per case: 60

THICKNESS

1.10mm

THICKNESS AT THE FINGER

THICKNESS AT THE PALM

LENGTH

300mm

SIZES

8/M | 9/L | 10/XL

COLOUR

- Orange

MATERIAL

- Cotton
- Fixed insulated acrylic
- Seamless knit

USER INSTRUCTIONS

Gloves provide protection from chemical and mechanical hazards shown. Do not use gloves that show signs of wear. If required, cleanse outer surface of glove with running water. Discard used gloves in compliance with local regulations. Do not wear gloves when there is a risk of entanglement by moving parts of machines.

DISCLAIMER

The descriptions, characteristics, applications and photos are given for information purposes and do not constitute a contractual commitment. The manufacturer reserves the right to make any modifications it deems necessary.

GET IN TOUCH

SHOWA International B.V. | WTC - Tower 2 - Strawinskylaan 1077 XX Amsterdam - The Netherlands
showagroup.com | info@showagroup.eu
© SHOWA GROUP 2025 | All rights reserved