


SOLIDLINE
Designed by Ledlenser

— PRODUCT DATA SHEET
Solidline ST2



Solidline ST2

PRODUCT DESCRIPTION

A reliable light for many everyday purposes is offered by the Solidline ST2. Powered by an AAA alkaline battery in its robust aluminum housing used in aircraft construction, rechargeable batteries can also be used. With its small size and highly efficient light output, the budget-conscious ST2 is an ideal partner for any handbag.

- Highly efficient light output with minimal size and weight
- Can be powered by a AAA alkaline battery or a AAA NiMH battery
- Robust housing made of aircraft aluminum with a handy surface structure
- Removable Metal clip to attach to the belt or the shirt pocket
- Three brightness levels, adjustable with the Endcap Switch

TECHNICAL DATA

Length [mm]	98
Head diameter [mm]	16
Tube diameter [mm]	15
Weight incl. batteries [g]	39
Weight without batteries [g]	27
Focus function	No
Head material	Aluminum alloy
Tube material	Aluminum alloy
Optic	Plastic lense (PMMA)
Cartridge	No

POWER SUPPLY

Power source type	Battery
Battery quantity	1
Battery type	Alkaline
Rechargeable	No
Energy modes	Energy Saving
Usable batteries	AAA Alkaline 1.5V, AAA NiMH 1.2V

FURTHER SPECIFICATIONS

IP class	IP54
Drop test (drop height) [m]	1
Working temperature range [°C]	-20 to +40

LIGHT FUNCTIONS

Boost, Power, Low Power

LIGHT SOURCE

Amount LEDs	1
LED type	Power LED
Color	White
Color temperature [K]	6000 to 7500
Color rendering index (CRI)	70

LIGHT VALUES

ANSI – Energy Saving	Boost	Power	Mid Power	Low Power
Light output ¹ [lm]	120	50		10
Beam distance ¹ [m]	55	40		15
Run time ¹ [h]		3		20

SWITCH

End Cap Switch

Solidline ST2

PACKAGING AND LOGISTICS



PACKAGING INFORMATION

Type of packaging	Test It Blister
Scope of delivery	1 set of batteries, Pocket clip
Item No.	502208
Customs tariff number	8513100000
Color	black

SINGLE PACKAGE

Dimensions W x H x D [cm]	11.2 x 20.5 x 1.7
Gross weight [g]	77
GTIN-13	4058205021548

INNER CARTON

Unit	12
Dimensions W x D x H [cm]	57.5 x 11.8 x 21.5
Gross weight [g]	1420
GTIN-13	4058205021555

EXPORT CARTON

Unit	48
Dimensions W x D x H [cm]	60.5 x 26.5 x 47.5
Gross weight [kg]	6.7
GTIN-13	4058205021562

Solidline ST2

PRODUCT SERIES

The Solidline-Series

High quality, low prices

Best quality for budget-conscious users of portable light – this is the concept behind the Solidline range designed and engineered by Ledlenser. The Solidline headlamps, flashlights and multi-purpose lights offer outstanding technologies and features to form a comprehensive assortment that is suitable for various purposes. In order to protect the purse even in the use phase, almost all lamps of the series are directly rechargeable versions or can also be operated with rechargeable batteries.

FOOTNOTES

The information pertaining to scope of delivery, appearance, performance, dimensions and weight corresponds to the information available at the time of publication. In the interest of product development, we reserve the right to change scope of delivery, appearance, design and color without prior notice. Product images may vary from the actual products and may show optional accessories which can be purchased separately. Errors and omissions excepted.

1) Measurement values according to ANSI FL1 in the respective setting. If no setting is explicitly indicated, the values refer to luminous flux (lumens/lm) and lighting range (meters/m) on the highest setting, and to battery duration (hours/h) on the lowest setting. A boost function (if available) can be used several times, but only for short periods of time. If the light is equipped with (a) colored LED(s), the measurement values are given for the white light or the white LED. If the light has different energy modes, the measurement is made based on the "energy saving mode".