CROGIOLO

D_Segni Blend

MARAZZI

D_Segni Blend

D_Segni Blend reinterprets in porcelain stoneware the charm of handmade cement tiles, with extra-matt surfaces animated by shading and chromatic alternations. The range comes in the 10x10 and 20x20 sizes and in Grigio, Verde, Azzurro, Terra, Carbone and Osso. The proposal includes the Mix decor and 12 Tappeti variants for graphic compositions with a bold decorative spirit. StepWise technology ensures slip resistance, softness to the touch and easy cleaning.

M610 D_Segni Blend Tappeto 6 20x20cm

M615 D_Segni Blend Grigio 10x10cm
M60A D_Segni Blend Decoro Mix Grigio 20x20cm
M602 D_Segni Blend Grigio 20x20cm

M60W D_Segni Blend Tappeto 10 20x20cm
M602 D_Segni Blend Grigio 20x20cm

M603 D_Segni Blend Carbone 20x20cm

M60D D_Segni Blend Decoro Mix Osso 20x20cm
M605 D_Segni Blend Osso 20x20cm



M60V D_Segni Blend Tappeto 9 20x20cm
M603 D_Segni Blend Carbone 20x20cm

M60L D_Segni Blend Tappeto 4 20x20cm
M60H D_Segni Blend Tappeto 3 20x20cm
M5ZS D_Segni Blend Verde 20x20cm

D_Segni Blend Index

D_Segni Blend

- Porcelain Stoneware

Azzurro

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M5ZN	D_segni Blend Azzurro	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,47	54	51,84	997,50
10x10cm	Natural	M612	D_segni Blend Azzurro	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	14,28	72	48,96	1.028,36

Carbone

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M603	D_segni Blend Carbone	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,41	54	51,84	994,06
10x10cm	Natural	M61F	D_segni Blend Carbone	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	14,74	72	48,96	1.061,35

Grigio

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M602	D_segni Blend Grigio	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,90	54	51,84	1.074,40
10x10cm	Natural	M615	D_segni Blend Grigio	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	13,65	72	48,96	982,54

Osso

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M605	D_segni Blend Osso	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,28	54	51,84	1.095,29
10x10cm	Natural	M61G	D_segni Blend Osso	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	14,76	72	48,96	1.062,73

Terra

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M600	D_segni Blend Terra	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,41	54	51,84	1.102,04
10x10cm	Natural	M614	D_segni Blend Terra	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	14,71	72	48,96	1.059,28



Verde

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M5ZS	D_segni Blend Verde	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,13	54	51,84	1.087,25
10x10cm	Natural	M613	D_segni Blend Verde	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	68	0,68	14,43	72	48,96	1.038,61

Mix

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M607	D_segni Blend Decoro Mix Azzurro	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,34	54	51,84	1.098,30
20x20cm	Natural	M608	D_segni Blend Decoro Mix Verde	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,67	54	51,84	1.062,30
20x20cm	Natural	M609	D_segni Blend Decoro Mix Terra	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,60	54	51,84	1.004,65
20x20cm	Natural	M60A	D_segni Blend Decoro Mix Grigio	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,83	54	51,84	1.071,07
20x20cm	Natural	M60C	D_segni Blend Decoro Mix Carbone	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,90	54	51,84	1.020,47
20x20cm	Natural	M60D	D_segni Blend Decoro Mix Osso	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,20	54	51,84	1.036,80

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	M60F	D_segni Blend Tappeto 1	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,18	54	51,84	981,82
20x20cm	Natural	M60G	D_segni Blend Tappeto 2	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,32	54	51,84	989,31
20x20cm	Natural	M60H	D_segni Blend Tappeto 3	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,17	54	51,84	1.089,08
20x20cm	Natural	M60L	D_segni Blend Tappeto 4	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,05	54	51,84	974,44
20x20cm	Natural	M60P	D_segni Blend Tappeto 5	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	20,34	54	51,84	1.098,30
20x20cm	Natural	M60S	D_segni Blend Tappeto 7	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,60	54	51,84	1.004,65
20x20cm	Natural	M60U	D_segni Blend Tappeto 8	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,51	54	51,84	1.053,66
20x20cm	Natural	M60V	D_segni Blend Tappeto 9	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,35	54	51,84	1.045,16
20x20cm	Natural	M60W	D_segni Blend Tappeto 10	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,75	54	51,84	1.012,50
20x20cm	Natural	M60X	D_segni Blend Tappeto 11	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,83	54	51,84	1.071,07
20x20cm	Natural	M60Y	D_segni Blend Tappeto 12	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	19,35	54	51,84	1.045,16
20x20cm	Natural	M610	D_segni Blend Tappeto 6	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall	StepWise	R10B	> 0.40	Class 3	36+ Slider 96		>= 0.42	G	V4	24	0,96	18,32	54	51,84	989,31

Legend

Destinazioni d'uso

D
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.

E
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.

F
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.

G
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.

H
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

V0
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour

V1
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run

V2
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run

V3
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material

V4
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications

ISO 14001

ISO 45001

ISO 9001

Green Building Council

EPD Italy

Greenguard Certification

LEED Credits

FDES

Declare

HPD

CCC

CE 001MRZI

UKCA 001MRZUK

SASO

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.

PDF GENERATED AUTOMATICALLY ON 07/09/2026

MARAZZI