

CROGIOLO

ArtCraft



MARAZZI

ArtCraft

Artcraft blends artisanal memory and contemporary precision in a porcelain stoneware collection with a decorative, versatile character. The range includes Bianco, Sabbia, Argilla, Cotto, Calce, Pomice and Coccio, available in Natural and Matt finishes, in 20x20, 21x18,2 and 5,3x30 sizes. The proposal is completed by the Bande 3D structure and the Triangoli, Bolli, Quadri, Segni A and Segni B decors, ideal for residential and commercial floor and wall uses.



MH9D Artcraft Decoro Segni B Semimatt 20x20cm

MGSV Artcraft Bianco Semimatt 20x20cm

MGR5 Grande Concrete Look Cementum Sand Natural Rt 120x278cm





MGU3 Artcraft Cotto 5x30cm
M7RE Grande Stone Look Granito Black Satin Rt 6Mm Stuoiato 160x320cm



MMD7 Vivo Castano Rt 22x180cm
MGSZ Artcraft Cotto 21x18cm



8 **MH5Y** Artcraft Pomice Decoro Quadri 20x20cm
MGSV Artcraft Bianco Semimatt 20x20cm



MGU6 Artcraft Argilla 5x30cm
MFZS Slow Calce Strutturato 120x120cm



MGWS Artcraft Argilla Decoro Bolli 20x20cm
MAFT Grande Marble Look Verde Borgogna Lux Rt 6Mm 160x320cm



MGU6 Artcraft Argilla 5x30cm
MFSU Slow Calce Strutturato 60x60cm



ArtCraft Index

ArtCraft

- Porcelain Stoneware



Argilla

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGU6	Artcraft Argilla	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,42	80	43,25	913,95
20x20cm	Natural	MGST	Artcraft Argilla	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,10	54	51,84	977,38



Bianco

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Semimatt	MGSV	Artcraft Bianco Semimatt	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall								G	V3	24	0,96	17,72	54	51,84	956,99
5,3x30cm	Semimatt	MGUA	Artcraft Bianco Semimatt	MM 10		Frost proof, Resistance deep abrasion	Wall									V3	34	0,54	11,39	80	43,25	911,25



Calce

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGTG	Artcraft Calce	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,51	80	43,25	920,95
20x20cm	Natural	MGSM	Artcraft Calce	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,60	54	51,84	1.058,18



Coccio

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGTL	Artcraft Coccio	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,62	80	43,25	929,66
20x20cm	Natural	MGSQ	Artcraft Coccio	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,73	54	51,84	1.065,35
21x18,2cm	Natural	MGSY	Artcraft Coccio	MM 9,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	16	0,46	8,50	100	45,86	849,82



Cotto

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGU3	Artcraft Cotto	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,31	80	43,25	904,96
20x20cm	Natural	MGSS	Artcraft Cotto	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	20,08	54	51,84	1.084,29
21x18,2cm	Natural	MGSZ	Artcraft Cotto	MM 9,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	16	0,46	8,31	100	45,86	831,33



Pomice

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGTA	Artcraft Pomice	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,50	80	43,25	919,97
20x20cm	Natural	MGSL	Artcraft Pomice	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	20,15	54	51,84	1.088,16



Sabbia

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
5,3x30cm	Natural	MGTH	Artcraft Sabbia	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	34	0,54	11,64	80	43,25	931,27
20x20cm	Natural	MGSP	Artcraft Sabbia	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	17,78	54	51,84	960,18
21x18,2cm	Natural	MGSX	Artcraft Sabbia	MM 9,5		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	16	0,46	8,25	100	45,86	825,34



Bande 3D

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	MGUD	Artcraft Pomice Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	17,56	54	43,20	948,41
20x20cm	Natural	MGUF	Artcraft Calce Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	17,23	54	43,20	930,23
20x20cm	Natural	MGUH	Artcraft Sabbia Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	15,85	54	43,20	855,78
20x20cm	Natural	MGUJ	Artcraft Coccio Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	17,30	54	43,20	934,26
20x20cm	Natural	MGUR	Artcraft Cotto Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	17,70	54	43,20	955,75
20x20cm	Natural	MGUS	Artcraft Argilla Struttura 3d Bande	MM 11,5		Frost proof, Resistance deep abrasion	Wall									V3	20	0,80	17,69	54	43,20	955,12



Bolli

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	MGUW	Artcraft Pomice Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,20	54	51,84	1.036,80
20x20cm	Natural	MGUX	Artcraft Calce Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,20	54	51,84	1.036,80
20x20cm	Natural	MGV5	Artcraft Sabbia Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	17,65	54	51,84	952,94
20x20cm	Natural	MGVD	Artcraft Coccio Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,00	54	51,84	1.026,00
20x20cm	Natural	MGVS	Artcraft Cotto Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,05	54	51,84	974,44
20x20cm	Natural	MGWS	Artcraft Argilla Decoro Bolli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	17,91	54	51,84	967,16



Triangoli

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	MGYS	Artcraft Pomice Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,20	54	51,84	1.036,80
20x20cm	Natural	MGZS	Artcraft Calce Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,90	54	51,84	1.020,47
20x20cm	Natural	MH0U	Artcraft Sabbia Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,75	54	51,84	1.012,50
20x20cm	Natural	MH0V	Artcraft Coccio Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,90	54	51,84	1.020,47
20x20cm	Natural	MH5V	Artcraft Cotto Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	17,91	54	51,84	967,16
20x20cm	Natural	MH5W	Artcraft Argilla Decoro Triangoli	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,20	54	51,84	1.036,80



Quadri

Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Natural	MH5Y	Artcraft Pomice Decoro Quadri	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,35	54	51,84	1.045,16
20x20cm	Natural	MH5Z	Artcraft Calce Decoro Quadri	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,60	54	51,84	1.004,65
20x20cm	Natural	MH60	Artcraft Sabbia Decoro Quadri	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	19,20	54	51,84	1.036,80
20x20cm	Natural	MH95	Artcraft Coccio Decoro Quadri	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,60	54	51,84	1.004,65
20x20cm	Natural	MH99	Artcraft Cotto Decoro Quadri	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall		R9	> 0.40	Class 1			>= 0.42	G	V3	24	0,96	18,75	54	51,84	1.012,50



Size	Surfaces	Code	Description	Thikness	Rect.	Technical characteristics	Use	Premium Tech	R	BCR	Pendulum Class	Pend. PTV >36	Australian pendulum	DCOF	Intended use	V	Pieces per box	Mq	Kg	Boxes for pallets	Mq	Kg
20x20cm	Semimatt	MH9C	Artcraft Decoro Segni A Semimatt	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall								G	V3	24	0,96	17,65	54	51,84	952,94
20x20cm	Semimatt	MH9D	Artcraft Decoro Segni B Semimatt	MM 10		Frost proof, Resistance deep abrasion	Floor & Wall								G	V3	24	0,96	17,65	54	51,84	952,94

Legend

Destinazioni d'uso

- D**
Tiles suitable only for residential bathrooms and bedrooms; any type of abrasion must be avoided.
- E**
Tiles suitable for any room of a house except for entrance areas and kitchens. Low stress abrasive wear.
- F**
Tiles suitable for any room of a house without direct access from the outside or access not protected by doormats. Average stress abrasive wear.
- G**
Materials suitable for rooms subject to medium-heavy abrasion, such as detached houses and light-traffic commercial buildings.
- H**
Materials suitable for situations of relatively hard abrasion in environments without protection against scratching, both public and private.

Color variations

- V0**
Monochromatic - V0: tiles of the same shade are very uniform, in just one colour
- V1**
Uniform appearance - V1: uniform colour with only minimal differences between tiles in the same production run
- V2**
Slight variation - V2: clearly distinguishable differences in texture and pattern within the same production run
- V3**
Moderate variation - V3: significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material
- V4**
Ubstantial/random variation - V4: random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material

Certifications



ISO 14001



EPD Italy



HPD



SASO



ISO 50001



ISO 17889-1



CCC



ISO 45001



Greenguard Certification



CE 001MRZI



ISO 9001



LEED Credits



CE 009MRZI



Green Building Council



FDES



UKCA 001MRZUK



GPP



Declare



UKCA 009MRZUK

© Copyright by Marazzi Group S.r.l.
All rights reserved, Marazzi Group Srl a Socio Unico
Viale Regina Pacis, 39 41049 Sassuolo (MO) Italy
T +39 0536 860800 F +39 0536 860644
info@marazzi.it www.marazzi.it

Color reproduction is approximate. The tables reporting data on box contents and packaging weights are updated at the time of the catalogue printing; therefore, the listed data may be subject to change. Marazzi Group reserves the exclusive right to modify and replace, even partially, the components of the systems illustrated in this folder without prior notice.



MARAZZI