




FLOODLIGHT AREA ASYM











	EAN	l x w x h [mm]	W	V _{AC}	Hz	lm	lm/W	K
FL AREA 72W 830 ASYM 48x92 BK	4058075539730	381 x 290 x 59	72	100-277V	50/60 Hz	9200	129	3000
FL AREA 72W 840 ASYM 48x92 BK	4058075539747	381 x 290 x 59	72	100-277V	50/60 Hz	10000	139	4000
FL AREA 105W 830 ASYM 48x92 BK	4058075539754	418 x 322 x 60	105	100-277V	50/60 Hz	13750	132	3000
FL AREA 105W 840 ASYM 48x92 BK	4058075539761	418 x 322 x 60	105	100-277V	50/60 Hz	15000	143	4000
FL AREA 145W 830 ASYM 48x92 BK	4058075539778	454 x 354 x 62	145	100-277V	50/60 Hz	18400	129	3000
FL AREA 145W 840 ASYM 48x92 BK	4058075539785	454 x 354 x 62	145	100-277V	50/60 Hz	20000	138	4000




	EAN	IP	IK	∠	R _a	° (°C)	PF	⚖
FL AREA 72W 830 ASYM 48x92 BK	4058075539730	65	08	48°x92°	> 80	-30...+50	> 0.9	3.7 kg
FL AREA 72W 840 ASYM 48x92 BK	4058075539747	65	08	48°x92°	> 80	-30...+50	> 0.9	3.7 kg
FL AREA 105W 830 ASYM 48x92 BK	4058075539754	65	08	48°x92°	> 80	-30...+50	> 0.9	4.8 kg
FL AREA 105W 840 ASYM 48x92 BK	4058075539761	65	08	48°x92°	> 80	-30...+50	> 0.9	4.8 kg
FL AREA 145W 830 ASYM 48x92 BK	4058075539778	65	08	48°x92°	> 80	-30...+50	> 0.9	6.2 kg
FL AREA 145W 840 ASYM 48x92 BK	4058075539785	65	08	48°x92°	> 80	-30...+50	> 0.9	6.2 kg



							230 Vac		
		A	B	C			C10A	B16A	C16A
72W		170	118	10.5	2x M10	0.083 m²	15	22	25
105W		170	118	12.5	2x M12	0.102 m²	8	5	12
145W		170	118	12.5	2x M12	0.124 m²	6	4	9







C10449057
G11104529V2
22.10.20



LEDVANCE GmbH
Steinerne Furt 62
86167 Augsburg, Germany
www.ledvance.com